

Prosealer A

In/Outdoors Acrylic Polymer Sealer with Special Additives

Description	Prosealer A is an acrylic emulsion sealer for
	concrete, plaster, brick stones and masonry. Used as a
	primer before emulsion paints to give a very good
	bonding force properties and decreases the
	consumption of paints and putties.
Where to use	It is designed to be used on masonry , concrete, plaster ,gypsum
	and wood
Advantages	So easy to apply.
	 Excellent sealing properties. Excellent chemical and weather resistance.
	 Gives a flexible coat with very good bonding force properties. Decreases the consumption of paints and putties.
	Excellent carbonation shielding.
	Very good bonding force properties for loose particles.
	Non-yellowing .
Properties	Hon yenowing.
Density	1.02 Kg/liter
Appearance	Semi glossy
Solid content by volume	15 %
Pot life @ 23 °C	2 Hours
Dry to recoat	2 Hours
Fully cured	7 days
Surface Preparation	Surface must be dry, clean, free from dust, dirt, oil and wax.
Mixing	Water must be added to Prosealer A by ratio 1:1 spray.
IVIIAIIIB	Apply with brush, roll or low pressure spray.
Application	Number of coats depend on surface porosity.
	Two thin coats are recommended than one heavy coat.
Cleaning	Tools must be cleaned with water immediately after use.
Theoretical Coverage	• Kg/ 7 - 10 m ² according to surface porosity.
	No of coats: 1 coat as a primer.
	3 coats as a finish coat
Packaging	5 & 20 Kg Pails
Shelf life & Storage	Prosealer A has a 12 months self-life at recommended conditions store.
Health and Safety	 This product is of low toxicity but normal precautions should be observed.
	 Wear gloves, and if working overhead or spraying, wear goggles.
	Wash off any skin splashes with soap and water.
	Eye contamination should be treated by irrigating the eye with an eye bathing
	solution.
	Ensure adequate ventilation in confined spaces and use breathing aids. If ingested, delight milk or unter and sock modified attention.
	 drink milk or water and seek medical attention. PROKEM provides the construction industry with a comprehensive range of
Additional Information	construction chemicals and specialty products answering the queries of modern
	engineers for trouble free durable structure.
	PROKEM designs tailor made products should there be critical application that
	requires specific properties rather than our main range. For our customer's satisfaction
	PROKEM reserves the right to change the properties of its products.
	All orders are accepted subject to our current term of sale & delivery.
	Users must always refer to the most recent issue of the local product data sheet for
	the product concerned, copies of which will be supplied on request.
	PROKEM extends technical services to include after sales support to assist users' in
	a proper handling of our products.



Product Data Sheet Edition 10.2022 Identification No. DC -1 Prosealer A 1/1